



RT-AX53U wireless AX1800 Dual Band Router

- New-Gen Wi-Fi Standard —802.11ax Wi-Fi standard supporting MU-MIMO and OFDMA technology for better efficiency and throughput.
- **Connect in your way** You can share the internet from 3G/4G dongle to the router by plug the dongle in a USB port.
- Ultra-fast Wi-Fi Speed RT-AX53U supports 1024-QAM for dramatically faster wireless connections. With a total networking speed of about 1800Mbps — 574 Mbps on the 2.4GHz band and 1201 Mbps on the 5GHz band.
- Increase Capacity and Efficiency Supporting not only MU-MIMO but also OFDMA technique to efficiently allocate channels, communicate with multiple devices simultaneously
- 4 Gigabit ports One Gigabit WAN port and three Gigabit LAN ports, 10X faster than 100–Base T Ethernet.
- AiProtection and Parental Controls helps keep your network protected and allow you to set the time limit for a client's network usage



Get Your Home Ready for WiFi 6 (802.11ax)

The growing number of connected personal and IoT devices has led to an overall increase in network density that is pushing the limits of the current WiFi standard. The latest 802.11ax standard provides future-proof technologies, higher network efficiency, faster WiFi speeds, greater coverage and improved battery life for connected devices, providing a significantly better networking experience for users.

*It requires 802.11ax-compatible devices to enjoy the benefits brought by 802.11ax WiFi standard.



Next-Gen WiFi Speed

RT-AX53U is a 2x2 dual-band WiFi router that provides 80MHz bandwidth and 1024-QAM for dramatically faster wireless connections. With a total networking speed of about 1800Mbps — 574Mbps on the 2.4GHz band and 1201Mbps on the 5GHz band — RT-AX53U is 1.5X faster than 802.11ac 2x2 dual-band routers.








RT-AX53U wireless AX1800 Dual Band Router

Built for Multi-device Households

With a revolutionary combination of OFDMA and MU-MIMO technology, 802.11ax technology provides up to 4X greater network capacity and efficiency in traffic-dense environments. Previousgeneration 802.11ac WiFi can only handle one device at a time on each network channel, which is an inefficient use of available bandwidth. OFDMA support in the 802.11ax WiFi standard divides each channel into small sub-channels, allowing signals from multiple devices* to be bundled together and transmitted simultaneously, reducing latency for a smoother, more responsive WiFi experience.



Better Battery Life for Your Devices

Target Wake Time (TWT) allows RT-AX53U to schedule designated intervals for devices to transmit data. This allows them to sleep when there is no need to wait for a router signal, reducing power consumption by up to 7X for significantly improved battery life*.



WiFi that Goes Farther

With the latest 802.11ax WiFi standard featuring OFDMA technology, RT-AX53U provides increased WiFi signal range and better coverage by dividing each channel into smaller sub-channels. These subchannels have a smaller bandwidth that enables them to travel up to 80% farther1, resulting in a better WiFi connection throughout your home*.







RT-AX53U wireless AX1800 Dual Band Router

Protection for your Home Network

RT-AX53U incorporates ASUS AiProtection, a commercial-grade network security system powered by Trend Micro[™] Smart Home Network. With AiProtection, all connected devices are protected, even if they have no antivirus capability of their own — such as IoT devices. AiProtection blocks common internet-based attacks before they reach the network, and if an infected device is detected on the network, AiProtection instantly blocks it to prevent it sending any personal information to malicious servers.



Connectivity Options

RT-AX53U has one Gigabit WAN port, three Gigabit LAN ports, and USB 2.0 port. Smart TV, game consoles, NAS storage devices, backup internet and more can now have their own dedicated ports, making RT-AX53U your solid digital home hub.



Robust control and optimization with ASUSWRT

With the ASUSWRT dashboard UI, setup, monitor, and control network applications all in one intuitive area. With fast setup, multi-device detection, and flexible settings, ASUSWRT makes the most of your network performance.

*xActual data throughput and WiFi coverage will vary from network conditions and environmental factors, including the volume of network traffic, building material and construction, and network overhead, result in lower actual data throughput and wireless coverage.





Specifications

Network Standard	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax
Product Segment	AX1800 AX performance
Coverage Data Rate	Large homes 802.11a : 6,9,12,18,24,36,48,54 Mbps 802.11b : 1, 2, 5.5, 11 Mbps 802.11g : 6,9,12,18,24,36,48,54 Mbps 802.11n : up to 300 Mbps 802.11ac : up to 867 Mbps 802.11ax 2.4GHz 574Mbps, 5GHz 1201Mbps
Antenna	External antenna x 4
Transmit/Receive	2.4 GHz 2x2; 5GHz 2x2
Memory	128MB Flash, 256MB RAM
Operating Frequency	2.4GHz < 20dBm , 5 GHz < 30dBm
Encryption	WPA2-PSK, WPA-PSK, WPA-Enterprise, WPA2-Enterprise, WPS support
Management	UPnP, IGMP v1/v2/v3, DNS Proxy, DHCP, NTP Client, DDNS, Port Trigger, Port Forwarding, DMZ, System Event Log
VPN Support	IPSec Pass-Through; PPTP Pass-Through;L2TP Pass-Through; OpenVPN server PPTP client;L2TP client; OpenVPN client; PPTP server Internet connection type : Automatic IP, Static IP, PPPoE(MPPE supported), PPTP, L2TP
Ports	RJ45 for Gigabits BaseT for WAN x 1, RJ45 for Gigabits BaseT for LAN x3
Features	Router app; MU MIMO; Traditional QoS; AiProtection Classic; Parental Control; Guest Network; VPN server ;VPN client; VPN Pass-Though; NAT Pass-Through; IPTV support
Button	Power on/off, Reset, WPS

	Windows® 10 (Windows 10 Pro license and recovery media included).
OS Support	Windows® 10 64-bit
	Windows® 8.1 (Windows 10 Pro license and recovery media included).
	Windows® 8 (Windows 10 Pro license and recovery media included).
	Windows® 7 (Windows 10 Pro license and recovery media included).
	Mac OS X 10.1 to 10.12





Specifications

© 2019 ASUSTeK Computer Inc. All rights reserved.